

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	610	((expos\$3 adj1 unit) same (light adj emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:06
S2	2429	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S3	1	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (((input) adj1 (device or unit or apparatus)) near10 (distortion adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:08
S4	2	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:09
S5	2	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S6	1349	(distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S7	2	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and ((distortion adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S8	47720	((expos\$3) adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S9	44	((expos\$3) adj1 (unit or device or apparatus))) and ((distortion adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:11

EAST Search History

S10	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:33
S11	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:33
S12	33	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:41
S13	1	((((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and "358"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:56
S14	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((image adj form\$3) or (copy adj machine or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:43
S15	0	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((copy) adj (machine or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:43
S16	3	((((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and "382"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:56
S17	486	((cop\$3) with (noise near2 reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 09:50
S18	0	(((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 09:53
S19	7	(((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:18

EAST Search History

S20	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:11
S21	6052	electrophotographic and ((exposure) near2 (unit or apparatus or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:19
S22	316	(electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:20
S23	173	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:26
S24	3	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))) and ((resist) near2 (pattern\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:22
S25	13	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))) and "358"/\$.ccs:	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:31
S26	1	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and ((distortion) near5 ((exposure) near2 (unit or device or apparatus))) and ((transfer) near2 (unit or device or apparatus))) and "358"/\$.ccs.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:38
S27	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:38
S28	10	electrophotographic and (linear near2 distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:30

EAST Search History

S29	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:32
S30	222	electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:41
S31	2	(electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:42
S32	10056	electrophotographic and ((led) or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:41
S33	519	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:42
S34	7	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion) near5 (exposure adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:54
S35	32708	resist adj1 patter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/15 10:24
S36	34976	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/15 10:24
S37	35020	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:25
S38	0	(resist adj1 pattern\$1) and ((exposure) adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:29

EAST Search History

S39	3	(solid adj scan\$5) near2 ((exposure) adj (device or unit or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:32
S40	393552	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:43
S41	1057	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:25
S42	7	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:31
S43	35020	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S44	1057	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S45	5245	(correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S46	7	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)) and (correct\$3 near5 skew\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
S47	18041	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:24
S48	288	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:25

EAST Search History

S49	5	(((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:33
S50	45	((input or enter) near5 (distortion adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:56
S51	10	(((((input or enter) near5 (distortion adj1 data))) and ((led or light adj emit\$3 adj diode) or ((exposure) adj1 (unit or device or apparatus)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:02
S52	100	(distortion near4 data) and copier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:00
S53	6	(input\$4 near10 (distortion near4 data)) and copier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:10
S54	35	(input\$4 near10 (distortion near4 data)) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:53
S55	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:54
S56	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data) and ((skew or deviation) near4 (correction or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:56
S57	27	(input\$4 near10 (distortion near4 data)) and ((skew or deviation) near4 (correction or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:33

EAST Search History

S58	0	(led or light adj1 emitting adj1 diode) near10 (curvature near2 shape) near10 (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:51
S59	1949	(led or light adj1 emitting adj1 diode) same (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:51
S60	1	(led or light adj1 emitting adj1 diode) same (curvature near2 shape) near10 (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:54
S61	46	(led or light adj1 emitting adj1 diode) same (curvature near2 shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 17:04
S62	2	"5887088".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 18:00
S63	2	"6559976".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 18:00
S64	35020	resist adj pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:46
S65	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) same (skew adj corret\$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:27
S66	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) with (skew adj corret\$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:27
S67	493	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:36

EAST Search History

S68	1	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew adj1 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:28
S69	2	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:28
S70	9	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (transfer adj1 (body or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:37
S71	1	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1)) same (transfer near2 (body or unit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:39
S72	6	(input\$4 with (distortion near4 data)) and (skew near4 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:45
S73	3	(distortion near4 data) and (skew near4 correct\$4) and (resist near6 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:50
S74	14	(distortion near4 data) and ((skew or angle) near4 correct\$4) and (resist near6 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:50
S75	274	(resist or correction or calibration) near3 (mark or pattern or image) same (transfer adj1 belt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 10:51
S76	274	((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 10:52
S77	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:03

EAST Search History

S78	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S79	14	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and skew adj1 correct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S80	14	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and (skew adj1 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S81	4642	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S82	1	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S83	300	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and "358"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:29
S84	727	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S85	1	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S86	49	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and "358"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:29

EAST Search History

S87	1861	correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:05
S88	32	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:15
S89	0	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same distortion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:15
S90	26	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:16
S91	213918	?fax or ?facsimile or fax or facsimile or ((?fax or ?facsimile) adj2 (server or gateway or system)) or facsys or (image adj communicat\$3) or netfax or (network adj (fax or facsimile)) and ((select\$3 or choos\$3) with ((several or plurality or multiple) adj channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/22 20:27
S92	218240	?fax or ?facsimile or fax or facsimile or ((?fax or ?facsimile) adj2 (server or gateway or system)) or facsys or (image adj communicat\$3) or netfax or (network adj (fax or facsimile)) and ((select\$3 or choos\$3) with ((several or plurality or multiple) adj channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 20:27
S93	4019	((frequency adj1 shift adj1 key) or fsk) near2 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S94	211448	S93 and fax or facsimile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S95	225	S93 and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43

EAST Search History

S96	28	S95 and (channel near2 (estimation or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:44
S97	3	S96 and shaping near2 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:44
S98	14	("5787324" "6021287" "6122476" "6157797" "6198891").PN. OR ("6381428").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 16:47
S99	5	("5787324" "6021287" "6122476" "6157797" "6198891").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 16:41
S100	1177	((exposure near2 (unit or device or apparatus)) same (distortion or bow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:23
S101	276	((exposure near2 (unit or device or apparatus)) near4 light) same (distortion or bow or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S102	48	S101 and (led or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
S103	6	S102 and (resist adj1 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:37
S104	0	S103 and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:40
S105	1	S102 and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34

EAST Search History

S10 6	9408	((image near2 (carrier or forming)) or photoconduct\$3 or drum) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:22
S10 7	459	S106 same exposure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S10 8	236	S107 same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S10 9	902	((exposure near2 (light or led)) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:46
S11 0	0	S103 and ((correct\$3 or adjust\$4) near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:41
S11 1	7	S109 and ((correct\$3 or adjust\$4) near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:45
S11 2	324288	((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:58
S11 3	85	S112 and ((exposure near2 (light or led)) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:57
S11 4	49734	((light or led) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:59
S11 5	1685	S114 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:59

EAST Search History

S11 6	6994	((light adj1 emit\$4) or led) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S11 7	218	S116 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:32
S11 8	2998	((light adj1 emit\$4) or led) with (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S11 9	91	S118 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S12 0	5546	((image near2 (carrier or forming)) or photoconduct\$3 or drum) with (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:22
S12 1	22	((led or (light adj1 emit\$4 adj1 diode)) same (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 2	17	((led or (light adj1 emit\$4 adj1 diode)) with (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:19
S12 3	432	((led or (light adj1 emit\$4 adj1 diode)) and (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:10
S12 4	2	S123 and electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 5	21	((led or (light adj1 emit\$4 adj1 diode)) with ((linear or curv\$6) near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:26

EAST Search History

S12 6	3332	((exposure near2 (unit or device or apparatus)) same (distortion or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:27
S12 7	401	S126 and (led or (light adj1 emit\$4 adj1 diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 8	61	S127 and electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 9	5	("4857944" "5274394" "5850247" "6035076" "6201596").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/30 11:29
S13 0	5	("5787324" "6021287" "6122476" "6157797" "6198891").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/07 20:49
S13 1	500903	((image near2 forming) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:33
S13 2	1338	S131 and ((input\$4 or enter) near6 (distortion or skew or deviation or interference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:45
S13 3	615	S132 and (led or (light adj emit\$3 adj diode) or exposure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:46
S13 4	395	S133 and (user or operator or person or someone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:46
S13 5	1639	S131 and ((input\$4 or enter or interface) near6 (distortion or skew or deviation or interference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:45

EAST Search History

S13 6	817	S135 and (led or (light adj emit\$3 adj diode) or exposure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:46
S13 7	433	S136 and (user or operator or person or someone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:46
S13 8	31	S136 and (resist adj pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:02
S13 9	14	S137 and (resist adj pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 15:47
S14 0	17	S138 not S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/02 16:03
S14 1	79440	(skew or bow or image) near3 (distort\$3 or correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:47
S14 2	4761	(distort\$3 or interference) adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:48
S14 3	180	((touch adj screen) or keyboard or (operation\$2 near2 panel)) near10 (S141 or S142)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:55
S14 4	104811	"382"/\$.cccls. or "358"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:50
S14 5	90	S143 and S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:50

EAST Search History

S14 6	79440	(skew or bow or image) near3 (distort\$3 or correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:56
S14 7	4761	(distort\$3 or interference) adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 16:56
S14 8	11	((touch adj screen) or keyboard or (operation\$2 near2 panel)) near10 (S146 or S147) same (expos\$4 or photoreceptor or (image near2 carrier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:54
S14 9	3	((touch adj screen) or keyboard or (operation\$2 near2 panel)) near10 (S146 or S147) near10 (expos\$4 or photoreceptor or (image near2 carrier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 18:13
S15 0	20	((touch adj screen) or keyboard or ((operation\$2 or input) near2 panel)) near6 (distortion or interference)) same (led or expos\$4 or photoreceptor or (image near2 carrier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 12:23
S15 1	104	((touch adj screen) or keyboard or ((operation\$2 or input) near2 panel)) near6 distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 12:22
S15 2	2074870	(expos\$4 or photoreceptor or (image near2 carrier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:56
S15 3	28	S151 and S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 11:56
S15 4	6755	(distortion with (expos\$4 or photoreceptor or photodrum or (image near2 carrier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 12:23

EAST Search History

S15 5	104	((touch adj screen) or keyboard or ((operation\$2 or input) near2 panel)) near6 distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 12:27
S15 6	1	S154 and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:20
S15 7	2355	((enter or set or input) near5 ((linear or bow or bend or exposure or led or optical) near2 (distortion or noise or error or articact or aberration or irregularity or abnormality or anomaly or deformity or defect)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:30
S15 8	79126	((user or operator or technician or person) near4 ((control or operation) near2 (panel or interface or device)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 14:32
S15 9	12	S157 and S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:40
S16 0	118181	"358"/\$.ccls. or "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:41
S16 1	6755	(distortion with (expos\$4 or photoreceptor or photodrum or (image near2 carrier)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:41
S16 2	214	S160 and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:41
S16 3	2355	((enter or set or input) near5 ((linear or bow or bend or exposure or led or optical) near2 (distortion or noise or error or articact or aberration or irregularity or abnormality or anomaly or deformity or defect)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:41

EAST Search History

S16 4	2	S162 and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 15:42
----------	---	---------------	---	----	----	------------------